MISSISSIPPI STATE DEPARTMENT OF IZIIZUTHI-4 AM 10: 16 BUREAU OF PUBLIC WATER SUPPLY CCR CERTIFICATION FORM CALENDAR YEAR 2012 Public Water Supply Name

	US 9000 4 List PWS ID #s for all Community Water	Systems included in this CCR
The Cons syste custo of el chec	e Federal Safe Drinking Water Act (SDWA) requires each Compasumer Confidence Report (CCR) to its customers each year. Deem, this CCR must be mailed or delivered to the customers, published to the customers. Make sure you follow the proper procedures electronic delivery, we request you mail or fax a hard copy of the ck all boxes that apply.	munity public water system to develop and distribute a Depending on the population served by the public water hed in a newspaper of local circulation, or provided to the s when distributing the CCR. Since this is the first year f the CCR and Certification Form to MSDH. Please
	Customers were informed of availability of CCR by: (Attack	ch copy of publication, water bill or other)
	Advertisement in local paper (attach copy On water bills (attach copy of bill) Email message (MUST Email the message) Other	ge to the address below)
	Date(s) customers were informed:/,	
	CCR was distributed by U.S. Postal Service or other of methods used	* * *
	Date Mailed/Distributed: / /	
	CCR was distributed by Email (MUST Email MSDH a cop As a URL (Provide URL As an attachment As text within the body of the email mess	py) Date Emailed: / /
	As text within the body of the cinan mess	age .
K	CCR was published in local newspaper. (Attach copy of put Name of Newspaper: The Barrer UM	ublished CCR or proof of publication)
K	CCR was published in local newspaper. (Attach copy of pu	ublished CCR or proof of publication)
	CCR was published in local newspaper. (Attach copy of pur Name of Newspaper: The Banker UM	ublished CCR or proof of publication) deplndent,
(CCR was published in local newspaper. (Attach copy of published in local newspaper). Name of Newspaper: 123 / 13	Date Posted:/
CER' I here publithe S the v Depart	CCR was published in local newspaper. (Attach copy of published in local newspaper). Name of Newspaper: Name of Name of Newspaper: Name of Na	Date Posted:/ e following address (DIRECT URL REQUIRED): CCR) has been distributed to the customers of this e and that I used distribution methods allowed by this CCR is true and correct and is consistent with

May be emailed to:

Melanie. Yanklowski@msdh. state. ms. us

Jackson, MS 39215

2012 Annual Drinking Water Quality Reports MAY 24 PM 1: 14 Booneville Municipal Water PWS 1D#: 0590004

May 2013

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from wells drawing from the Eutaw Formation and Gordo Formation Aquifers.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identify potential sources of contamination. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the City of Booneville have received a lower susceptibility ranking to contamination.

If you have any questions about this report or concerning your water utility, please contact Billy Joe Spencer at 662-728-6259. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the first and third Tuesdays of each month at 7:00 PM at the Booneville City Hall located at 203 N. Main Street.

We routinely monitor for constituents in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that we detected during for the period of January 1st to December 31st, 2012. In cases where monitoring wasn't required in 2012, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) – The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) – The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

				TEST R	ESULI	r s		
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure -ment	MCLG	MCL	Likely Source of Contamination
Inorganio	Contar	ninants						
Inorganio	Contar	ninants 2010*	.2	.19 – .2	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits

14. Copper	N	2010*	.3	0	ppm	1.3	1	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives	
16. Fluoride**	N	2010*	1.91	.26 – 1.91	ppm	4		Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories	
17. Lead	Z	2010*	1	0	ppb	0		Corrosion of household plumbing systems, erosion of natural deposits	
Disinfection	n By-	-Produc	ts						
82. TTHM [Total trihalomethanes]	N	2007*	10.15	No Range	ppb	0	80	By-product of drinking water chlorination.	
Chlorine	N	2012	1.2	1 – 1.2	mg/l	0	MDRL = 4	Water additive used to control microbes	

^{*} Most recent sample. No sample required for 2012.

As you can see by the table, our system had no contaminant violations. We're proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some constituents have been detected however the EPA has determined that your water IS SAFE at these levels.

We are required to monitor your drinking water for specific constituents on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. We did complete the monitoring requirements for bacteriological sampling that showed no coliform present. In an effort to ensure systems complete all monitoring requirements, MSDH now notifies systems of any missing samples prior to the end of the compliance period.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing. Please contact 601.576.7582 if you wish to have your water tested.

To comply with the "Regulation Governing Fluoridation of Community Water Supplies", the BOONEVILLE WATER DEPT. is required to report certain results pertaining to fluoridation of our water system. The number of months in the previous calendar year that average fluoride sample results were within the optimal range of 0.7-1.3 ppm was 7. The percentage of fluoride samples collected in the previous calendar year that was within the optimal range of 0.7-1.3 ppm was 69%.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline 1-800-426-4791.

*****April 1, 2013 MESSAGE FROM MSDH CONCERNING RADIOLOGICAL SAMPLING*****

In accordance with the Radionuclides Rule, all community public water supplies were required to sample quarterly for radionuclides beginning January 2007 – December 2007. Your public water supply completed sampling by the scheduled deadline; however, during an audit of the Mississippi State Department of Health Radiological Health Laboratory, the Environmental Protection Agency (EPA) suspended analyses and reporting of radiological compliance samples and results until further notice. Although this was not the result of inaction by the public water supply, MSDH was required to issue a violation. This is to notify you that as of this date, your water system has completed the monitoring requirements and is now in compliance with the Radionuclides Rule. If you have any questions, please contact Karen Walters, Director of Compliance & Enforcement, Bureau of Public Water Supply, at 601.576.7518.

The City of Booneville Water System works around the clock to provide top quality water to every tap. In case of emergency, water personnel may be contacted 24 hours a day at 662.728.6259. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

Sooperville Maniples I vaste i group of the sooper of the

Thi liks fable you will find mainy terms and abbieviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Asign Level - the coolenguation of a contenginant rights, if exceeded, in specs ureatment or other requirements which a water spacery must lightey.

Markfulfs Contaminant that is allowed in of the property of the property

Maximum Conteminant Level Goal (MCG: The "Goald (MCG) is the level of a contaminant in distribut water below which there is no known or expected sisk to health, MCG 1000 feet a might of 15 feet.

Maximum Residual Disinfectant Cerel (MBDL) - The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control microbial contaminants.

Maximum Residual Disinfectuan Level Goal (MRDUG) - The level of a defixing water disinfectuant below which there is no known or expected risk of Invalid. MRDUGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Parts per million (ppm) or Millgrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000. Parts per billion (ppb) or Alkrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

Contaminant	Violation Y/N	Oute Collected	Level Delected	Range of Defects or It of Samples Exceeding MCL/ACL	Uril Measuremeni	MERG	MCL	Likely Source of Contemination
Inorganic	Contami	nants						
10. Barlum	*	20101	.2	.19-2	PPm	2	3	Discharge of drilling wartes: discharge hommetal refineries; emotor of natural deposits
13 Chromium	N	2016	1	.6-1	Ppb	100	100	Discharge from steet and pulp milit; eroskin of natural deposit
14. Copper	N	2010*	.)	0	. ррил	1.3	ALu13	Concision of household plumb- ing systems; erosion of manual deposits; leaching from wood preservatives
16. Fluroride**	N	2010'	1,91	.26-1.91	ppb	4	•	ferian distant (rycolo; septe ablicar obid) provides planej treth, de- danye bari keshari and desistant kata
17. tead	N	2016*	1	0	ppb	0	AL+15	Counsion of household plumbin systems, enation of national deposits

Most recent sample. No sample required for 2012.

N

2007

2017

10.15

1.7

As you can see by the table, our system had no contaminant violations. We're prood that your defining water meets or exceeds all federal and State requirements. Will learned through our monitoring and testing that some constituents have been detected however the EPA has determined that your water IS SAE at these fereils.

1-1.7

ργb

59:n

0

By grodum of drinking water chlorastion.

We are required to matrine your dishining water for specific constituents on a monthly basis. Establis of regular inomitoring are an indicated of which less or not our dishining week basis has admitted by the discomplished in management of the discomplished in matrix of the discomplished in matrix of the discomplished in matrix of precisions. We form or officer specific and a first beginning the discomplishing regularization. Well have not reflect the precision of the precision to develop the configuration precision. The discomplished precision of the discomplished precision of the discomplished precision.

Il genera, chevara di necia di necia di necia mana propositi del presenza chevara ne mana di puopi politicani, tead in dinizio y voltre la permadir from materiali, and components associated with service fines and leme planoling diret Neces Association in expossible to providen jobiq untile dimiting varate, lesi cannot conzoli the survey of immedia send in planolina proposenza. When provide ha habitation proved providenta providenta politica in expossible to providen jobiq untile dimiting varate para della providenta provid

To comply with the Regulation Governing Fluoridation of Community Water Supplies", the BOMEVELE WAITER DEFL. is required to report certain results pretaining to Fluoridation of our water system. The remainer of most fail is in the perfects calendary sayer that a sessage fluorida sample results are willias the optimal range of 0.7-13 again wat. The percentage of Supplies are supplied to the perfect of the per

Mill sources of devidency water an employs construction persons can make a make the contractive counter of persons and one of the contractive counter of the contractive counter of the co

Some people may be more vulnerable to constantinants in distaling water than the general population, immune compromised persons such as persons with cancer undergoing observablemany, persons with have undergoing expansionally at risk from infections. These people shaded a get, a policy with INVAIDS or observable management such as persons either and infinite can be practically at risk from infections. These people shaded a get, a policy with INVAIDS or observable report of produces to purpose and infinite can be retrievable at risk from infections. The report of shaded are retrievable and entire intended from the Safe Drinking Water Holling 1 x800-436-4271.

*****April 1, 2013 MESSAGE FROM MSDII CONCERNING RADIOLOGICAL SAMPLINGING *****

ha conductes with the Padionculdes final, community guidely water supplies were required to sample quartering for additionables beginning January 2007. Determiner 2009. You public vaster supply completed sampling by the Scheduled Goodine Leowere, during an audio of the Manistry for the General Ciffed Machinery. The January 2007 is a proposed to the Leon of the Manistry for the Control of the Machinery and Ciffed Machinery. The Control of the Machinery and Leon of the Machinery and Leon of the Machinery and Leon of the Machinery. The Control of Machinery and Leon of the Control of Leon of the Machinery. The Machinery and Leon of Le

The City of Bosonrolle Water System works accord the clock to provide top quality water to every tap, in case of emogency, water personnel may be contacted 24 hours day at 662 128.6239. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

F OF PUBLICATION

ATE OF MISSISSIPPI UNTY OF PRENTISS

ME, Teresa C. Smith Oublic in and for said county, or other alified to administer oaths, this day came the undersigned official of The ndependent, a newspaper published the City of Booneville, in Prentiss tate of Mississippi, who, being duly ates that the notice, a true copy of ereto attached, was published in the newspaper for 1974 consecutive

L. Number 14, May 23, 2013
_, Number, 20
_, Number, 20
_, Number, 20
_, Number,, 20
_, Number, 20
_, Number, 20
6
Editor
day of May, 2013 Quesa C. Smite Notary Public

My Commission Expires

Title



., 20_